




66

n7

LED Mirror  
Light Le





## Backlighting Round LED Mirror

### MR-BLED600R/MR-BLED800R

- Safe 12V anti fog mirror surface;
- IP44 rated waterproof;
- Touch control to light up and defog;
- High definition;
- Eco-environmental friendly;
- With hanging bracket in the back;
- Melamine bottom board with aluminum frame;
- 3 colours light strip,keep pressing 3 seconds to switch the colour of light;
- SAA certificated concealed power cord and LED light strip;
- NO euphotic zone, lighting on the back;
- Explosion proof and moisture proof;
- Multiple application in different location.

Shape: round

Size: 60cm / 80cm

Input Voltage: 220-240V

LED Colour Range: 3000K-5700K



## Rectangle Back Lighting LED Mirror Ound-Angle

### MR-BLED7560R-P / MR-BLED9075R-P / MR-BLED1290R-P


- Safe 12V anti fog mirror surface
- IP44 rated waterproof
- High definition
- Touch control to light up and defog
- NO euphotic zone, lighting on the back
- Explosion proof and moisture proof
- Eco-environmental friendly
- With hanging bracket in the back
- Melamine bottom board with aluminum frame,PC back lampshade
- SAA certificated concealed power cord and LED light strip
- 3 colours light strip,keep pressing 3 seconds to switch the colour of light
- Conform to the Australian Standard
- Multiple uses in various occasions
- Can be installed horizontally or vertically

Shape: Rectangle,safe round-angle

Size: 75x60cm/90x75cm/120x90cm

Input Voltage: 220-240V

LED Colour Range: 3000K-5700K



## Round Edge-Lit LED Mirror

**MR-LED600R-1.5A / MR-LED800R-1.5A**



- Pressing Once Switch,
- Change The Color From On - Warm - Neutral - Cold - Off.
- Safe 12v Anti Fog Mirror Surface
- Explosion Proof And Moisture Proof ;
- High Definition.ip44 Rating Waterproof
- Installation Type:wall Mounted,with Hanging Bracket In The Ba

Shape: round

Size: 60cm / 80cm

Input Voltage: 220-240V

LED Colour Range: 3000K-6000K



## Rectangle Edge-Lit LED Mirror Round-Angle

**MR-LED7560R-1.5P / MR-LED9075R-1.5P / MR-LED1290R-1.5P**




- Safe 12V anti fog mirror surface
- IP44 rated waterproof
- Touch control to light up and defog
- 3 colours light strip,keep pressing 3 seconds to switch the colour of light
- High definition
- Melamine bottom board with aluminum frame,PC lampshade
- SAA certificated concealed power cord and LED light strip
- 15/25/30mm euphotic zone/frame
- Lighting on the rim
- Explosion proof and moisture proof
- Eco-environmental friendly
- With hanging bracket in the back
- Can be installed horizontally or vertically
- Conform to the Australian Standard
- Multiple uses in various occasions

Shape: Rectangle,safe round-angle

Size: 75x60cm/90x75cm/120x90cm

Input Voltage: 220-240V

LED Colour Range: 3000K-5700K



## Rectangle Edge-Lit LED Mirror Rectangle Right-Angle

MR-LED7560-3A / MR-LED9075-3A / MR-LED1290-3A


- Safe 12V anti fog mirror surface
- IP44 rated waterproof
- Touch control to light up and defog
- 3 colours light strip, keep pressing 3 seconds to switch the colour of light
- High definition
- Melamine bottom board with aluminum frame, acrylic lampshade
- SAA certificated concealed power cord and LED light strip
- 30mm euphotic zone/frame
- Lighting on the rim
- Explosion proof and moisture proof
- Eco-environmental friendly
- With hanging bracket in the back
- Can be installed horizontally or vertically
- Conform to the Australian Standard
- Multiple uses in various occasions

Shape: Rectangle, right-angle

Size: 75x60cm/90x75cm/120x90cm

Input Voltage: 220-240V

LED Colour Range: 3000K-5700K



## Black Frame Square LED Mirror

MR-7560BS / MR-9075BS


- Safe 12V anti fog mirror surface
- IP44 rated waterproof
- Touch control to light up and defog
- Long press the light up touch button to adjust the brightness
- White light
- 20mm euphotic zone
- High definition
- Melamine bottom board with aluminum frame
- SAA certificated concealed power cord and LED light strip
- Explosion proof and moisture proof
- Eco-environmental friendly
- With hanging bracket in the back
- Conform to the Australian Standard
- Multiple uses in various occasions
- Can be mounted vertically or horizontally

Shape: Square

Size: 50x65x4cm

Input Voltage: 220-240V

LED Colour Range: 3000K-6000K



## LED Mirror Oblong Racetrack Motion Sensor Auto On

### MR-LED-EP-5190

- LED Colour Temperature Range(CCT): 3000K-6000K.
- Pressing once switch,change the color from ON - Warm - Neutral - Cold - OFF.
- Motion Sensor Feature: Light Auto-On when attended in the sensor range;
- Light Auto-Off after 30 seconds unattended in the sensor range.
- Safe 12V anti fog mirror surface
- Explosion proof and moisture proof ;
- High definition.IP44 RATING WATERPROOF
- Installation Type:Wall mounted,with hanging bracket in the back

Shape: Rectangle,right-angle

Size: 51x90cm

Input Voltage: 220-240V

LED Colour Range: 3000K-6000K



## LED Mirror Special Shape Motion Sensor Auto On

### MR-LED-TA-7486

- Pressing once switch,
- Change the color from ON - Warm - Neutral - Cold - OFF.
- Motion Sensor Feature: Light Auto-On when attended in the sensor range;
- Light Auto-Off after 30 seconds unattended in the sensor range.
- Safe 12V anti fog mirror surface
- Explosion proof and moisture proof ;
- High definition.IP44 RATING WATERPROOF
- Installation Type:Wall mounted,with hanging bracket in the back

Shape: Rectangle,right-angle

Size: 74x86cm

Input Voltage: 220-240V

LED Colour Range: 3000K-6000K



## LED Mirror Oval Motion Sensor Auto On


### MR-LED-OV-4590

- Pressing once switch, change the color from ON - Warm - Neutral - Cold - OFF.
- Motion Sensor
- Feature: Light Auto-On when attended in the sensor range;
- Light Auto-Off after 30 seconds unattended in the sensor range.
- safe 12V anti fog mirror surface
- Explosion proof and moisture proof ;
- High definition.IP44 RATING WATERPROOF
- nstallation Type:Wall mounted,with hanging bracket in the back

Size: 45x90cm

Input Voltage: 220-240V

LED Colour Range: 3000K-6000K



## Round Crescent Rim LED Mirror

### MR-CLED600R-P / MR-CLED800R-P

- Pressing once switch,
- Change the color from ON - Warm - Neutral - Cold - OFF.  
Input Voltage: 220-240V, safe 12V anti fog mirror surface
- Explosion proof and moisture proof ;
- High definition.IP44 RATING WATERPROOF
- Nstallation Type:Wall mounted,with hanging bracket in the back

Size: 45x90cm

Input Voltage: 220-240V

LED Colour Range: 3000K-6000K